

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1-32. (Canceled).

33. (Currently Amended) A method for managing a computer system including a computing node located on a network side of a network connection and one or more mobile devices located on a user's side of the network connection, comprising:

running a discovery program to detect one or more mobile devices or resources connected to the network connection and one or more mobile devices or resources previously, but not currently, connected to the network connection;

determining information regarding at least one of the detected ~~or more~~ mobile devices or resources based on at least one of a registry resource, a file resource, a process resource, a network management parameter, a data format, a packet format, a synchronization log entry, a directory structure, a database entry, the presence of an executable program and attributes associated with a mobile device or resource; and

using the determined mobile device information to manage security of the computer system from the network side of the network connection.

34. (Original) The method of claim 33 further including scanning the computer system based on a scan profile to detect the one or more mobile devices.

35. (Original) The method of claim 33, wherein the discovery program is run in at least one of a remote central station or a local computing node.

36. (Currently Amended) The method of claim 33 further including grouping the ~~located~~ detected mobile devices or resources by type and other attribute.

37. (Previously Presented) The method of claim 34, wherein the scan profile contains information regarding at least one of network, domain, IP address, netmask, and computer identity to be scanned, time of synchronization and device connection.

38. (Previously Presented) The method of claim 34, wherein the scan profile contains information regarding at least one of network, domain, IP address, netmask, and computer identity not to be scanned.

39. (Currently Amended) The method of claim 34, wherein the results of scanning are ~~analyzes~~ analyzed and populated and stored and displayed to the users.

40. (Previously Presented) The method of claim 33, wherein the determined mobile device information includes at least one of device type, device identity, synchronization software type, synchronization software availability, synchronization software location, synchronization software version number, previous synchronization information, data and time of last synchronization, the type of device used during previous synchronization, synchronization ID, device owner information, type of applications and files installed or used on the mobile device, file size, file name, file attribute, manufacturer information, time of all completed and incomplete synchronization and data access and connections performed, type of data and information transferred to and from a mobile device and a resource.

41. (New) The method of claim 33, further comprising at least one of locking and denying access to an unauthorized mobile device attempting to access the computer system.

42. (New) The method of claim 33, further comprising a step of locking an authorized mobile device attempting to access the network.

43. (New) The method of claim 42, wherein the locking step comprises transmitting security software to the station.

44. (New) The method of claim 33, wherein the discovery program is run remotely at a central station.

45. (New) The method of claim 33, wherein the discovery program is run locally at the computing node.

46. (New) The method of claim 33, wherein the step of running the discovery program results in detection of at least one of a device type, connection profile, or location of at least one of the mobile devices and resource devices.